



Suction lifters – SOL2SL

User instructions

1 Contents

1 CONTENTS	2
2 BEFORE YOU START	2
GENERAL	2
COMPETENCE	2
HEALTH AND SAFETY	3
3 SCOPE OF DELIVERY	3
4 PRODUCT FEATURES AND DESCRIPTION	3
5 APPLICATION	4
6 MAINTENANCE	4

2 Before you start

General

Thank you for choosing a Dimplex product. We ensure you that every effort was made at design, manufacture and delivery stages of this product to meet your expectations and we ensure you of our best possible support throughout the product's lifespan.

As part of ongoing product development and improvement Dimplex reserves the right to undertake changes to the product without prior notice. Great care has been taken to ensure this manual was correct at the time of print. Should you however discover any issues with the information contained therein please do not hesitate to contact your vendor.

We strongly recommend to read the whole contents of this manual before commencing the work.

Competence

Dimplex products have been designed and manufactured to the current relevant standards and under stringent quality control. It is therefore imperative that the product is only installed by a:

- trained and
- competent

person as defined in the relevant regulations. Dimplex does not accept any liability for damage done to persons or property resulting from undue handling and usage of this product.

All regulations current at the time of installation are to be considered alongside the content of this manual as they form the code of best practice.

The warranty of this product is linked to the ability of proving that the product was installed, commissioned and maintained:

- by a competent person
- in accordance with Dimplex instructions and the current relevant regulations and legislation
- the product being registered with Dimplex at the time of installation using the form in the Dimplex On Site Guide
- records showing the date of maintenance in accordance with the maintenance schedule as detailed in the On Site Guide

Health and Safety

The installation of this product is subject to the Health and Safety at Work Act. It is your responsibility to ensure that the transport, storage, installation and operation of the product is carried out in a safe manner.

Dimplex will not accept any liability due to damage caused to people or property resulting from negligence or not adhering to the relevant Health and Safety practises.

3 Scope of delivery

Please check the contents and condition of your delivery before signing the delivery documentation against the content shown in Figure 1 and mark as appropriate. Contact your supplier immediately for any missing or damaged parts. Claims for missing or damaged parts after signing for the delivery documentation will not be accepted.



Suction lifter	x2	<input type="checkbox"/> / <input type="checkbox"/>	
Manual	x1	<input type="checkbox"/> / <input type="checkbox"/>	

Figure 1 – Scope of delivery

4 Product features and description

PLEASE READ CARFEULLY BEFORE USE

-Suction lifters are hand tools and must not be used with cranes or any other lifting devices.

-Before using make sure the suction pads are clean and undamaged.

- Clean suction pads regularly with non – aggressive cleaner.
- Dimplex provided the suction lifters for the handling of the SOLC220 collector only. Other products might not meet the requirements for the use of these hand tools.
- Do not use any tool or object to loosen the lifters from the surface, as this will damage the suction pads.

5 Application

In order to achieve the best possible degree of safety please observe the following rules:

- Only use the suction lifter if you are experienced or under supervision by someone experienced in handling this type of tool.
- Always test the function of the suction lifter prior to using.
- Examine handle for damage and rubber pads for excessive glaze, cuts or roughness.
- Suction lifter should only be used for lifting, carrying and holding the SOLC220 collector for a short period of time.
- Prior to use always check the rubber pads for possible loss of suction capacity due to reduced elasticity caused by excessive age, usage, poor storage or maintenance etc.
- Never use the suction lifters with damaged rubber pads!
- Cold temperature, high humidity and pollution may reduce the holding capacity considerably.
- Do not use the tool for personal support.
- Avoid conditions which could cause the cup to slip or to disengage, such as: contaminants, or cuts and scratches in the cup face.
- Do not use solvents, gasoline or other harsh chemicals to clean the cup.
- Never move the collector suddenly with the suction lifters applied. Always execute calm and steady movements.

6 Maintenance

- Always keep the rubber pads clean and free of oil and grease.
- Clean suction pads with spirit or other non aggressive cleaners.
- Do not expose rubber pads to sunlight over extended periods of time in order to preserve elasticity.
- Store the suction lifter in a flat, relaxed position when not in use in dry clean conditions. Retain packaging for safe storage.